



The
Patent
Office EP00/3982

PCT/EP 00/03982



INVESTOR IN PEOPLE

**PRIORITY
DOCUMENT**

SUBMITTED OR TRANSMITTED IN
COMPLIANCE WITH RULE 17 (a) OR (b)

REC'D 15 JUN 2000	
WIPO	PCT

4


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Andrews

Dated 17 April 2000

An Executive Agent of the Department of Trade and Industry

Patents Form 1/77

Patents Act 1977
(Rule 16)

The
Patent
Office

OSAPR00 ES26900-1 001030
P01/7700 0.00-0008179.4

1/77

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

05 APR 2000

-5 APR 2000

The Patent Office

Cardiff Road
Newport
Gwent NP9 1RH

1. Your Reference	MA/PG3974		
2. Patent application number (The Patent office will fill in this part)	0008179.4		
3. Full name, address and postcode of the or of each applicant (underline all surnames)	GLAXO GROUP LIMITED GLAXO WELLCOME HOUSE BERKELEY AVENUE GREENFORD MIDDLESEX UB6 0NN GB		
Patents ADP number (if you know it)	473587003		
If the applicant is a corporate body, give the country/state of its corporation	GB		
4. Title of the invention	CHEMICAL PROCESS		
5. Name of your agent (if you know one)	MICHAEL ATKINSON (SEE CONTINUATION SHEET)		
"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)	GLAXO WELLCOME PLC GLAXO WELLCOME HOUSE, BERKELEY AVENUE GREENFORD, MIDDLESEX UB6 0NN, GB		
Patents ADP number (if you know it)	6990527001		
6. If you are declaring priority from one or more earlier patent applications, give the country and date of filing of the or of each of these earlier applications and (if you know it) the or each application number	Country	Priority application number (if you know it)	Date of Filing (day / month / year)
7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application	Number of earlier application		Date of filing (day / month / year)
8. Is a statement of inventorship and of right to grant a patent required in support of this request? (Answer yes if: a) any applicant named in part 3 is not an inventor, or b) there is an inventor who is not named as an applicant, or c) any named applicant is a corporate body. See note (d))	YES		
9. Enter the number of sheets for any of the following items you are filing with this form			

Patents Form 1/77

Do not count copies of the same document

Continuation sheets of this form	1
Description	6
Claim(s)	2
Abstract	-
Drawing(s)	-

10. If you are also filing any of the following,
state how many against each item

Priority Documents

Translations of priority documents

Statement of inventorship and right
to grant of a patent (*Patents Form 7/77*)

Request for preliminary examination
and search (*Patent Form 9/77*)

Request for substantive examination
(*Patent Form 10/77*)

Any other documents
(*please specify*)

11.

I/We request the grant of a patent on the basis of this application

Signature Michael Atkinson Date 4 APRIL 2000
AGENT FOR THE APPLICANTS

12. Name and daytime telephone number of
person to contact in the United Kingdom

Kim Allen
020-8966 5721

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication of communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the patent Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been received

a) Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered "Yes" Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

Additional Agents
(See Page 1 No. 5)

NAME(S)

Alan HESKETH
Michael ATKINSON
Karen CRAWLEY
Peter I. DOLTON
Hugh B. DAWSON
Wendy Anne FILLER
Christiane Elizabeth FISHER
Ruth Elizabeth HACKETT
Audrey HAMMETT
Siân Catherine HOCKLEY
Graham M.H. LANE
Stephanie Anne LEAROYD
Helen Kaye QUILLIN
Michael A REED
Marion REES
Michael John STOTT
Andrew J. TEUTEN
Rachel M. THORNLEY
Janis Florence VOLCKMAN

ADDRESS

Glaxo Wellcome plc
Glaxo Wellcome House
Berkeley Avenue
Greenford
Middlesex
UB6 ONN
Great Britain

CHEMICAL PROCESS


The present invention relates to an improved process for preparing an intermediate for use in the synthesis of Cholecystokinin (CCK) agonists.

5


WO94/24149 describes a class of 1,5-benzodiazepine derivatives having an agonist action at the CCK-A receptor.

10

A particular interesting group of 1,5-benzodiazepine derivatives described therein may be represented by the general formula (A)




The compounds of formula A are conveniently prepared from the 3-amino derivative (I).




15

WO94/24149 teaches that such 3-amino-1,5- benzodiazepine derivatives may be prepared by reduction of the corresponding phenylhydrazone and the preparation of the compound of formula (I) by the reduction of the corresponding phenylhydrazone (B), is specifically described in intermediate (II) therein



5 Reduction of the hydrazone (B) to give the amine (I) also results in the formation of aniline. This is a highly toxic product, the generation of which should be avoided if at all possible in a commercial process and thus there is a need to find an alternative synthesis to the primary amine (I) which avoids the generation of aniline and provides the required product in good yield.

10 We have now found that the required amine (I) can be prepared in high yield and without the generation of toxic side products by concomitant reduction and hydrogenolysis of the corresponding oxime (II), wherein R is an optionally substituted benzyl group.



15

Thus the present invention provides for a process for preparing the amine (I) by concomitant reduction and hydrogenolysis of the oxime (II) followed, if desired, by isolation of the compound as an acid addition salt thereof.

20


The concomitant reduction and hydrogenolysis is conveniently carried out using a Palladium catalyst e.g. Palladium on charcoal catalyst in the presence of hydrogen or ammonium formate in a solvent such as an alkanol e.g. ethanol, isopropanol or an aqueous ethanol, e.g. aqueous ethanol, or tetrahydrofuran

5


For the reaction the group R is conveniently benzyl or a substituted benzyl group e.g. p-methoxybenzyl or benzhydryl.

10

The oxime (II) may conveniently be prepared by reaction of the ortho-phenylene diamine derivative (III)



with an activated derivative of the di-acid (IV), wherein R is an optionally substituted benzyl group.



15

Conveniently, the activated derivative of the di acid (IV) is the corresponding diacylhalide e.g. chloride and this is prepared in situ by reaction of the di-acid (IV) with an oxalyl halide e.g. oxalyl chloride. The reaction is conveniently carried out in an aprotic solvent such as an ester e.g. ethyl acetate, dichloromethane, toluene, or dimethoxyether or mixtures thereof, and in the presence of dimethylformamide.

20

The di acid (IV) is conveniently prepared by reaction of a dialkyl ketomalonate e.g. diethyl ketomalonate with the corresponding hydroxylamine derivative RONH_2 in a solvent such as an alkanol or industrial methylated spirits and in the presence of a base e.g. pyridine, followed by reaction with aqueous sodium hydroxide.

The following examples, which are non-limiting, illustrate the invention.

In the Examples the abbreviations EtOAc = ethyl acetate; MeOH = methanol, DMF = N, N-dimethylformamide; IPA = isopropyl alcohol; IMS = industrial methylated spirits.

Intermediate 1

Diethyl 2-[(benzyloxy)imino]malonate

Di-ethylketomalonate (60g) was added at 20°C to a stirred suspension of O-benzylhydroxylamine (57.8g) in IMS (500ml) containing pyridine (30ml). The reaction was heated at 75°C for 4hr. The reaction was cooled and solvents removed under reduced pressure. The residue was partitioned between EtOAc (500ml) and water (300ml) and the organic layer separated, washed with water (250ml) and dried over MgSO_4 . Solvents were evaporated to give the title compound 95.3g, as a colourless oil (99%th, ca 3%w/w residual EtOAc) which was used without further purification.

^1H NMR (300MHz, CDCl_3) 7.4 (m, 5H), 5.35 (s, 2H), 4.35 (m, 4H), 1.3 (m, 6H).

Intermediate 2

2-[(benzyloxy)imino]malonic acid

To a solution of Intermediate 1 (40g) in MeOH (80ml) was added 2M NaOH (200ml) over 20 mins. The reaction was stirred at room temperature for 2hr. MeOH was removed under reduced pressure and the residual solution was acidified to pH 2 by dropwise addition of conc.HCl (~30ml) while cooling to

maintain the temperature below 35°C. A thick white slurry was formed which was diluted with water (50ml) to aid mobility. The solids were collected by filtration, washed with chilled water (25ml) and dried in vacuo at 55°C to give the title compound as a white solid (17g) found to contain ca.10%w/w residual inorganic salts. Corrected yield ~ 45%th. Used without further purification.

¹H NMR (300MHz, D₂O) 7.4 (m, 5H), 5.2 (s, 2H)

Intermediate 3

10 **2-[-3-[(Benzyloxy)imino]-2,4-dioxo-5-phenyl-2,3,4,5-tetrahydro-1H-1,5-benzodiazepinyl]-N-isopropyl-N-phenylacetamide**

Oxalyl chloride (38.3g) was added dropwise (~1hr) to a stirred suspension of Intermediate 2 (40g, corrected for salt content to 31.4g) in EtOAc (200ml) containing DMF (0.5ml, 5 mol%). The mixture was stirred at 25°C for 0.5 hour then filtered through a pad of Dicalite, washing with EtOAc (40ml) to give a clear yellow solution. The solution was added (~5mins) to a stirred slurry of N-isopropyl-N-phenyl-2-(2-phenylaminophenylamino)-acetamide (50g) in EtOAc (120ml) at 25°C. The mixture was warmed to 60°C and a dark purple solution formed. After 1hr, EtOAc (200ml) was removed by atmospheric distillation. IPA (120ml) and water (40ml) were added and the mixture distilled further to remove more solvent (80ml). IPA (40ml) and water (40ml) were added and a further amount of solvent was distilled out (80ml). The reaction mixture was cooled to 25 °C over 1.5hr and the solids collected by filtration. The solids were washed with IPA (2 x 120 ml), water (1 x 120ml) and finally IPA again (1 x 40ml) then dried in vacuo at 55°C to give the title compound as a salmon pink powder (56.6g).

¹H NMR (300MHz, CDCl₃) 2:1 mixture of isomers about the oxime 7.6-6.95 (m, 18H), 6.9 (t 1H), 5.3 (m, 2H), 4.95 (m, H), 4.65 (d, 0.33H), 4.4 (d, 0.67H), 4.1 (d, 0.67H), 4.0 (d, 0.33H), 0.95 (m, 6H)

Example 1**5 (±)-2-(3-Amino-2,4-dioxo-5-phenyl-2,3,4,5-tetrahydrobenzo-
[b][1,4]diazepin-1-yl)-N-isopropyl-N-phenylacetamide**

To a stirred suspension of Intermediate 3 (3g) and ammonium formate (2.08g) in
IMS (30ml) and water (3ml) was added 5% Pd/C (50% w/w water) (0.25g). The
mixture was heated under a nitrogen atmosphere at 60°C overnight. The hot
10 reaction mixture was filtered through Dicalite to remove the catalyst. The catalyst
was washed with hot IMS (60ml) and filtered. The filtrates were concentrated
under reduced pressure to give the title compound as a white solid (2.34g).

15

20


25

30


Claims

5

1. A process for the preparation of the compound of formula (I)




or an acid addition salt thereof which comprises reacting a compound of formula (II)



10 wherein R is an optionally substituted benzyl group under reductive hydrogenolysis conditions, followed, if required, by isolation of the compound as an acid addition salt thereof.

2. A process as claimed in claim 1 wherein the reductive hydrogenolysis is carried out using a palladium catalyst.

3. A process as claimed in claim 1 or claim 2 wherein the compound of formula (II) has been prepared by reaction of the ortho phenylene diamine derivative (III) with an activated derivative of the di-acid (IV),



wherein R is an optionally substituted benzyl group.

4. A process as claimed in claim 3 wherein the activated derivative of the di-acid (IV) is the di-acylchloride.
- 10 5. A process as claimed in any of claims 1 to 4 wherein R is benzyl.